



| ITEM | QTY -041 | P/N | DESCRIPTION |
|------|-------------|---------------|-----------------------|
| | X | D3912-041 | EYEBOLT RECEIVER ASSY |
| 1 | 1 | D3912-1 | EYEBOLT |
| 2 | 2 | D3912-3 | EYEBOLT BLOCK |
| 3 | 2 | D3912-5 | EYEBOLT PLATE |
| 4 | 1 | D3801-1 | SPRING PLUNGER |
| 5 | 8 | MS20615-4M20 | RIVET |
| 6 | 1 | MS21209-F615 | HELICAL |
| 7 | 1 | NAS1149F0332P | WASHER |





SUPPLEMENTAL ISO VIEW
(EYEBOLT PLATE REMOVED
TO SHOW INTERIOR FEATURES)

D3912-041 EYEBOLT RECEIVER ASSY

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3912-041 USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT -041: 1.58 lbs


| | | | |
|------------|--|--|--------------|
| B | D3801-1 WAS D3810-1 SPRING PLUNGER; D4028-041 RMV; MS21209-F615 WAS MS21209-C610 HELICAL; (1) WASHER NAS1149C0663R ADDED; BOSS ADDED TO D3912-1. | JPH | 10.06.28 |
| A | NEW ISSUE | JPH | 10.03.04 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | ALIS | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. B |
| MFG. APPR. | | D3912 | SHEET 1 OF 3 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | EYEBOLT RECEIVER ASSY | NTS |
| DATE | 10.06.28 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |



D3912-1 EYEBOLT

NOTES:


- 1) MATERIAL: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
REF DART SPEC M303R OR M304R
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ID AT ASSEMBLY
- 7) WEIGHT: 0.45 lbs




SECTION A-A B6-3

RELEASED
2010-07-16

| | | | |
|------------|--------------------|--|--------------|
| DESIGN | <i>AJS</i> | DART AEROSPACE LTD | |
| DRAWN | <i>[Signature]</i> | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | <i>[Signature]</i> | DRAWING NO. D3912 | REV. B |
| MFG. APPR. | <i>[Signature]</i> | | SHEET 2 OF 3 |
| APPROVED | <i>[Signature]</i> | TITLE EYEBOLT RECEIVER ASSY | SCALE NTS |
| DE APPR. | <i>[Signature]</i> | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| DATE | 10.06.28 | THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |



D3912-3 EYEBOLT BLOCK



D3912-5 EYEBOLT PLATE

NOTES:

1) MATERIAL -3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276
REF DART SPEC M303B OR M304B

-5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME 5A240
REF DART SPEC M303S11GA OR M304S11GA

- 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: ID AT ASSEMBLY
7) WEIGHT -3: 0.30 lbs
-5: 0.24 lbs

RELEASED
2010-07-16
am

| | | | |
|------------|-----------------|--|--------------|
| DESIGN | <i>ASS</i> | DART AEROSPACE LTD | |
| DRAWN | <i>JP</i> | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | <i>JP</i> | DRAWING NO. D3912 | REV. B |
| MFG. APPR. | <i>JP</i> | | SHEET 3 OF 3 |
| APPROVED | <i>JP</i> | TITLE EYEBOLT RECEIVER ASSY | SCALE NTS |
| DE APPR. | <i>JP</i> | | |
| DATE | 10.06.28 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |